

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID: sssptal610jxm

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?): 2

09/899421

STN

09.23.02

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 Apr 01 "Ask CAS" for self-help around the clock
NEWS 3 Apr 09 BELLSTEIN: Reload and Implementation of a New Subject Area
NEWS 4 Apr 09 ZDB will be removed from STN
NEWS 5 Apr 19 US Patent Applications available in IFICDB, IFIPAT, and
IFIUDB
NEWS 6 Apr 21 Records from IP.com available in CAPLUS, RCAPLUS, and
ZCAPLUS
NEWS 7 Apr 21 BIOSIS Gene Names now available in TOXCENTER
NEWS 8 Apr 21 Federal Research in Progress (FEDRIP) now available
NEWS 9 Jun 03 New e-mail delivery for search results now available
NEWS 10 Jun 10 MEDLINE Reload
NEWS 11 Jun 11 PCTFULL has been reloaded
NEWS 12 Jul 01 FOREGE no longer contains STANDARDS file segment
NEWS 13 Jul 11 USAN to be reloaded July 26, 2002;
seven answer sets no longer valid
NEWS 14 Jul 29 Enhanced polymer searching in REGISTRY
NEWS 15 Jul 31 NETFIRST to be removed from STN
NEWS 16 Aug 01 CANCELLIT reload
NEWS 17 Aug 01 PHARMAMarketLetter (PHARMAML) - new on STN
NEWS 18 Aug 01 NUIS has been reloaded and enhanced
NEWS 19 Aug 19 Aquatic Toxicity Information Retrieval (AQUIRE)
now available on STN
NEWS 20 Aug 19 IFIPAT, IFICDB, and IFIUDS have been reloaded
NEWS 21 Aug 19 The MEDLINE file segment of TOXCENTER has been reloaded
NEWS 22 Aug 26 Sequence searching in REGISTRY enhanced
NEWS 23 Sep 03 JAPID has been reloaded and enhanced
NEWS 24 Sep 16 Experimental properties added to the REGISTRY file
NEWS 25 Sep 16 Indexing added to some pre-1967 records in CA/CAPLUS
NEWS 26 Sep 16 CA Section Inessuris available in CAPLUS and CA

NEWS EXPRESS February 1 CURRENT WINDOWS VERSION IS V6.0d,
CURRENT MACINTOSH VERSION IS V6.1a(ENG) AND V6.1Ja(JP),
AND CURRENT DISCOVER FILE IS DATED 03 FEBRUARY 2002
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific

research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 12:43:55 ON 23 SEP 2002

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 12:44:06 ON 23 SEP 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 22 SEP 2002 HIGHEST RN 453594-96-2

DICTIONARY FILE UPDATES: 22 SEP 2002 HIGHEST RN 453594-96-2

TCCA INFORMATION NOW CURRENT THROUGH MAY 20, 2002

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details:

<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=>

Uploading: 09889421 end elect.str

LI STRUCTURE UPLOADED

=> d

LI HAS NO ANSWERS

LI STN

0

N

CB

Structure attributes must be viewed using STN Express query preparation.

=> s 11 :ul

FULL SEARCH INITIATED 12:44:23 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 4012 TO ITERATE

100.0% PROCESSED 4012 ITERATIONS
SEARCH TIME: 00.00.02

547 ANSWERS

L2 547 SEA SSS FUL L1

=> fil caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

140.23

140.49

FILE 'CAPLUS' ENTERED AT 12:44:38 ON 23 SEP 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on SIN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE DOWERS 1817 - 23 Sep 2002 VOL 137 ISS 13
FILE LAST UPDATED: 22 Sep 2002 (23901912/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLLES at an arrow prompt or use the CAS Roles thesaurus (URL field) in this file.

=> s l. p

L1 141 L1/F

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.40

140.89

FILE 'REGISTRY' ENTERED AT 12:44:52 ON 23 SEP 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 American Chemical Society (ACS)

Property values tagged with IC are from the VIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 22 SEP 2002 HIGHEST RN 453594-96-2
DICTIONARY FILE UPDATES: 22 SEP 2002 HIGHEST RN 453594-96-2

TSCA INFORMATION NOW CURRENT THROUGH MAY 20, 2002

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP
PROPERTIES for more information. See STNote 27, Searching Properties
in the CAS Registry File, for complete details:
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=>

Uploading 09899421 end.str

L4 STRUCTURE UPLOADED

=> q

L4 HAS NO ANSWERS

L4 STR

Ak 3
H 2
1
Cb 4
H
C G1
N
Cb 5
G2
G1
G1
G1 [01],[02],[03],[04]
G1 [05]

Structure attributes must be viewed using STN Express query preparation.

=> s 14 full

FULL SEARCH INITIATED 12:45:34 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 66531 TO ITERATE

100.00 PROCESSED 66531 ITERATIONS 1 ANSWERS
SEARCH TIME: 00.00.17

L4 1 SEA SSS FUL L4

=>

Uploading 09899421 interm.str

L6 STFUCTURE UPLOADED

END

LC HAS NO ANSWERS

LC STR

Ak 3

H 2

1

Cb 4

H

G1

N

Ch

G1

G1

G1 [01],[02],[03],[04]

Structure attributes must be viewed using STN Express query preparation.

END s 16 ful

FULL SEARCH INITIATED 12:46:21 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - >1,000,000 TO ITERATE

< 15.7% PROCESSED 106653 ITERATIONS 148 ANSWERS

< 24.7% PROCESSED 247055 ITERATIONS 293 ANSWERS

< 31.7% PROCESSED 307067 ITERATIONS 418 ANSWERS

< 39.7% PROCESSED 307457 ITERATIONS 549 ANSWERS

< 40.0% PROCESSED 400000 ITERATIONS 551 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.02.12

FULL FILE PROJECTIONS: ONLINE **INCOMPLETE**

BATCH **INCOMPLETE**

PROJECTED ITERATIONS: EXCEEDS 1000000

PROJECTED ANSWERS: EXCEEDS 8635

END 551 SEARCHES FULL L6

END s 17 and caplus/lc

24588658 CAPLUS/LC

L8

367 L7 AND CAPLUS/LC

=> fil caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

286.46

427.35

FILE 'CAPLUS' ENTERED AT 12:48:48 ON 23 SEP 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 20, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 23 Sep 2002 VOL 137 ISS 13

FILE LAST UPDATED: 22 Sep 2002 (20020922/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.

=> s 17 ful

L9 123 L7

=> s 19 and 13 ful

L10 1 L9 AND L3

=> d 110 ibib abs hitstr

[illegible][illegible]

REFERENCES

=> d his

(FILE 'HOME' ENTERED AT 12:43:55 ON 23 SEP 2002)

FILE 'REGISTRY' ENTERED AT 12:44:06 ON 23 SEP 2002

L1 STRUCTURE UPLOADED
L1 547 S L1 FUL

FILE 'CAPLUS' ENTERED AT 12:44:36 ON 23 SEP 2002

L3 145 S L2/P

FILE 'REGISTRY' ENTERED AT 12:44:52 ON 23 SEP 2002

L4 STRUCTURE UPLOADED
L4 1 S L4 FUL
L4 STRUCTURE UPLOADED
L4 551 S L6 FUL
L4 367 S L7 AND CAPLUS/LC

FILE 'CAPLUS' ENTERED AT 12:48:48 ON 23 SEP 2002

L4 123 S L7 FUL
L10 1 S L9 AND L3 FUL

=> s process?

L11 2839360 PROCESS?

=> s l11 and l7

123 L7

L12 14 L11 AND L7

=> d l12 1-14 ibib abs hitstr

1999

DOCUMENT TITLE:	Patent
LANGUAGE:	Japanese
FORMER ASS. NUM.:	1
CLASS. FOR. PATENT:	

[illegible]


Материалы опубликованы в журнале "Химия и технология органических соединений кремния" (№ 1, 2006 г.)

REQUIRE ALL SITUATIONS AVAILABLE IN THE

* PRESENTING PROGRAM FOR LATE FEBRUARY AVAILABLE VIA E-MAIL

1. A solution of 1.0 g. of 2,4,6-trichloro-1,3,5-triazine (1.0 mmole) in 10 ml. of 1,2-dichloroethane (DCE) was added to a solution of 0.5 g. of 1,2-dichloroethane (1.0 mmole) in 10 ml. of 1,2-dichloroethane. The mixture was stirred at room temperature for 24 hours. The mixture was then poured into 100 ml. of water and extracted with 10 ml. of 1,2-dichloroethane. The organic layer was dried over anhydrous calcium chloride and concentrated under reduced pressure to give 0.5 g. of 2,4,6-trichloro-1,3,5-triazine. The mother liquor was evaporated and the residue was recrystallized from 1,2-dichloroethane to give an additional 0.1 g. of 2,4,6-trichloro-1,3,5-triazine. Total yield was 0.6 g. (60%).

Adapted from *Electrochemistry*,
L. D. Barris, *Ind. Eng. Chem. Anal. Ed.* 34, 569 (1962).

[illegible][illegible]

676 JOURNAL OF DOCUMENTATION

DELETED. 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840

CLASSIFICATION: CONFIDENTIAL
 AUTHORITY: 50 U.S.C. 3605
 DATE: 10/11/2011
 BY: 60322
 REASON: 25X(1)
 CONFIDENTIALITY STATEMENT: This document contains information that is exempt from public release under the Freedom of Information Act, 5 U.S.C. 552. It is being disseminated on a "need to know" basis to authorized personnel only. It is to be controlled, stored, handled, transmitted, and disposed of in accordance with the policies and procedures of the Department of Justice. It is to be destroyed when it is no longer needed for official use.

ABSTRACT: **Enzymes**
AB Self-assembled monolayers (SAM) of a Schiff base were prepared on a
Au surface under different conditions, and the quality and protection ability
of resulting films against aqueous corrosion of Cu were evaluated by
cyclic voltammetry. Some factors, including surface treatment and
applied potentials during the self-assembly, were
investigated. The results indicate that nitric acid treatment of the Au prior to
self-assembly can improve the quality of the self-assembly of SAM
significantly. An appropriate applied potential during
self-assembly contributed to the improvement of the quality of SAM, and the final
hydrophobic state in the self-assembly of the Schiff base
indicated the protection of SAM. Fourier transform IR, XPS, reflection
spectroscopy and UPS UPS were used in the study of SAM.


and AFS were used at the Hall of Records.
 : 419569-58-7
 PMS DE Physically engineering or technical processes / IBM
 Technical or:
 engineered material use; PROCS (Process) UNCS (Uses)
 SAM of Skill based in 1985 affecting the quality and efficiency
 utilization of skills of individuals IBM or AFS as a staff

[illegible]
$$S = \begin{pmatrix} 1 & 0 \\ 0 & 1 \\ 0 & 0 \end{pmatrix}$$

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE
FOR THIS REPORT. ALL CITATIONS AVAILABLE IN THE
EE FORMAT

INVENTOR'S NAME: HARRISON, JAMES
DOCUMENT NUMBER: 6089463
TITLE: Catalytic hydrogenation processes using ruthenium phosphine complexes
INVENTOR S :
Harrison, James
PATENT ASSIGNOR S :
SQUIBB
DOCUMENT TYPE:
Patent
LANGUAGE:
English
PARENT APPLICATION:
PATENT INFORMATION:

[illegible][illegible]

[illegible]

$\frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{4}$



ANSWER KEY ID	ANSWER KEY ID: 1
QUESTION NUMBER	QUESTION NUMBER: 1
COMMENT NUMBER	COMMENT NUMBER: 1
DATE	DATE: 2010-04-01
INVENTOR A	INVENTOR A: 1
INVENTOR B	INVENTOR B: 1
PATENT NUMBER A	PATENT NUMBER A: 1
INVENTOR	INVENTOR: 1
INVENTOR A	INVENTOR A: 1
INVENTOR B	INVENTOR B: 1
INVENTOR C	INVENTOR C: 1
INVENTOR D	INVENTOR D: 1
INVENTOR E	INVENTOR E: 1
INVENTOR F	INVENTOR F: 1
INVENTOR G	INVENTOR G: 1
INVENTOR H	INVENTOR H: 1
INVENTOR I	INVENTOR I: 1
INVENTOR J	INVENTOR J: 1
INVENTOR K	INVENTOR K: 1
INVENTOR L	INVENTOR L: 1
INVENTOR M	INVENTOR M: 1
INVENTOR N	INVENTOR N: 1
INVENTOR O	INVENTOR O: 1
INVENTOR P	INVENTOR P: 1
INVENTOR Q	INVENTOR Q: 1
INVENTOR R	INVENTOR R: 1
INVENTOR S	INVENTOR S: 1
INVENTOR T	INVENTOR T: 1
INVENTOR U	INVENTOR U: 1
INVENTOR V	INVENTOR V: 1
INVENTOR W	INVENTOR W: 1
INVENTOR X	INVENTOR X: 1
INVENTOR Y	INVENTOR Y: 1
INVENTOR Z	INVENTOR Z: 1
INVENTOR AA	INVENTOR AA: 1
INVENTOR AB	INVENTOR AB: 1
INVENTOR AC	INVENTOR AC: 1
INVENTOR AD	INVENTOR AD: 1
INVENTOR AE	INVENTOR AE: 1
INVENTOR AF	INVENTOR AF: 1
INVENTOR AG	INVENTOR AG: 1
INVENTOR AH	INVENTOR AH: 1
INVENTOR AI	INVENTOR AI: 1
INVENTOR AJ	INVENTOR AJ: 1
INVENTOR AK	INVENTOR AK: 1
INVENTOR AL	INVENTOR AL: 1
INVENTOR AM	INVENTOR AM: 1
INVENTOR AN	INVENTOR AN: 1
INVENTOR AO	INVENTOR AO: 1
INVENTOR AP	INVENTOR AP: 1
INVENTOR AQ	INVENTOR AQ: 1
INVENTOR AR	INVENTOR AR: 1
INVENTOR AS	INVENTOR AS: 1
INVENTOR AT	INVENTOR AT: 1
INVENTOR AU	INVENTOR AU: 1
INVENTOR AV	INVENTOR AV: 1
INVENTOR AW	INVENTOR AW: 1
INVENTOR AX	INVENTOR AX: 1
INVENTOR AY	INVENTOR AY: 1
INVENTOR AZ	INVENTOR AZ: 1
INVENTOR BA	INVENTOR BA: 1
INVENTOR BB	INVENTOR BB: 1
INVENTOR BC	INVENTOR BC: 1
INVENTOR BD	INVENTOR BD: 1
INVENTOR BE	INVENTOR BE: 1
INVENTOR BF	INVENTOR BF: 1
INVENTOR BG	INVENTOR BG: 1
INVENTOR BH	INVENTOR BH: 1
INVENTOR BI	INVENTOR BI: 1
INVENTOR BJ	INVENTOR BJ: 1
INVENTOR BK	INVENTOR BK: 1
INVENTOR BL	INVENTOR BL: 1
INVENTOR BM	INVENTOR BM: 1
INVENTOR BN	INVENTOR BN: 1
INVENTOR BO	INVENTOR BO: 1
INVENTOR BP	INVENTOR BP: 1
INVENTOR BQ	INVENTOR BQ: 1
INVENTOR BR	INVENTOR BR: 1
INVENTOR BS	INVENTOR BS: 1
INVENTOR BT	INVENTOR BT: 1
INVENTOR BU	INVENTOR BU: 1
INVENTOR BV	INVENTOR BV: 1
INVENTOR BW	INVENTOR BW: 1
INVENTOR BX	INVENTOR BX: 1
INVENTOR BY	INVENTOR BY: 1
INVENTOR BZ	INVENTOR BZ: 1
INVENTOR CA	INVENTOR CA: 1
INVENTOR CB	INVENTOR CB: 1
INVENTOR CC	INVENTOR CC: 1
INVENTOR CD	INVENTOR CD: 1
INVENTOR CE	INVENTOR CE: 1
INVENTOR CF	INVENTOR CF: 1
INVENTOR CG	INVENTOR CG: 1
INVENTOR CH	INVENTOR CH: 1
INVENTOR CI	INVENTOR CI: 1
INVENTOR CJ	INVENTOR CJ: 1
INVENTOR CK	INVENTOR CK: 1
INVENTOR CL	INVENTOR CL: 1
INVENTOR CM	INVENTOR CM: 1
INVENTOR CN	INVENTOR CN: 1
INVENTOR CO	INVENTOR CO: 1
INVENTOR CP	INVENTOR CP: 1
INVENTOR CQ	INVENTOR CQ: 1
INVENTOR CR	INVENTOR CR: 1
INVENTOR CS	INVENTOR CS: 1
INVENTOR CT	INVENTOR CT: 1
INVENTOR CU	INVENTOR CU: 1
INVENTOR CV	INVENTOR CV: 1
INVENTOR CW	INVENTOR CW: 1
INVENTOR CX	INVENTOR CX: 1
INVENTOR CY	INVENTOR CY: 1
INVENTOR CZ	INVENTOR CZ: 1
INVENTOR DA	INVENTOR DA: 1
INVENTOR DB	INVENTOR DB: 1
INVENTOR DC	INVENTOR DC: 1
INVENTOR DD	INVENTOR DD: 1
INVENTOR DE	INVENTOR DE: 1
INVENTOR DF	INVENTOR DF: 1
INVENTOR DG	INVENTOR DG: 1
INVENTOR DH	INVENTOR DH: 1
INVENTOR DI	INVENTOR DI: 1
INVENTOR DJ	INVENTOR DJ: 1
INVENTOR DK	INVENTOR DK: 1
INVENTOR DL	INVENTOR DL: 1
INVENTOR DM	INVENTOR DM: 1
INVENTOR DN	INVENTOR DN: 1
INVENTOR DO	INVENTOR DO: 1
INVENTOR DP	INVENTOR DP: 1
INVENTOR DQ	INVENTOR DQ: 1
INVENTOR DR	INVENTOR DR: 1
INVENTOR DS	INVENTOR DS: 1
INVENTOR DT	INVENTOR DT: 1
INVENTOR DU	INVENTOR DU: 1
INVENTOR DV	INVENTOR DV: 1
INVENTOR DW	INVENTOR DW: 1
INVENTOR DX	INVENTOR DX: 1
INVENTOR DY	

PATENT NO.	FILED DATE	APPLICATION NO.	DATE
11	11-1-1944	EP-1	1-1-1944
12	11-1-1944	EP-2	1-1-1944
13	11-1-1944	EP-3	1-1-1944
14	11-1-1944	EP-4	1-1-1944
15	11-1-1944	EP-5	1-1-1944
16	11-1-1944	EP-6	1-1-1944
17	11-1-1944	EP-7	1-1-1944
18	11-1-1944	EP-8	1-1-1944
19	11-1-1944	EP-9	1-1-1944
20	11-1-1944	EP-10	1-1-1944
21	11-1-1944	EP-11	1-1-1944
22	11-1-1944	EP-12	1-1-1944
23	11-1-1944	EP-13	1-1-1944
24	11-1-1944	EP-14	1-1-1944
25	11-1-1944	EP-15	1-1-1944
26	11-1-1944	EP-16	1-1-1944
27	11-1-1944	EP-17	1-1-1944
28	11-1-1944	EP-18	1-1-1944
29	11-1-1944	EP-19	1-1-1944
30	11-1-1944	EP-20	1-1-1944
31	11-1-1944	EP-21	1-1-1944
32	11-1-1944	EP-22	1-1-1944
33	11-1-1944	EP-23	1-1-1944
34	11-1-1944	EP-24	1-1-1944
35	11-1-1944	EP-25	1-1-1944
36	11-1-1944	EP-26	1-1-1944
37	11-1-1944	EP-27	1-1-1944
38	11-1-1944	EP-28	1-1-1944
39	11-1-1944	EP-29	1-1-1944
40	11-1-1944	EP-30	1-1-1944
41	11-1-1944	EP-31	1-1-1944
42	11-1-1944	EP-32	1-1-1944
43	11-1-1944	EP-33	1-1-1944
44	11-1-1944	EP-34	1-1-1944
45	11-1-1944	EP-35	1-1-1944
46	11-1-1944	EP-36	1-1-1944
47	11-1-1944	EP-37	1-1-1944
48	11-1-1944	EP-38	1-1-1944
49	11-1-1944	EP-39	1-1-1944
50	11-1-1944	EP-40	1-1-1944
51	11-1-1944	EP-41	1-1-1944
52	11-1-1944	EP-42	1-1-1944
53	11-1-1944	EP-43	1-1-1944
54	11-1-1944	EP-44	1-1-1944
55	11-1-1944	EP-45	1-1-1944
56	11-1-1944	EP-46	1-1-1944
57	11-1-1944	EP-47	1-1-1944
58	11-1-1944	EP-48	1-1-1944
59	11-1-1944	EP-49	1-1-1944
60	11-1-1944	EP-50	1-1-1944
61	11-1-1944	EP-51	1-1-1944
62	11-1-1944	EP-52	1-1-1944
63	11-1-1944	EP-53	1-1-1944
64	11-1-1944	EP-54	1-1-1944
65	11-1-1944	EP-55	1-1-1944
66	11-1-1944	EP-56	1-1-1944
67	11-1-1944	EP-57	1-1-1944
68	11-1-1944	EP-58	1-1-1944
69	11-1-1944	EP-59	1-1-1944
70	11-1-1944	EP-60	1-1-1944
71	11-1-1944	EP-61	1-1-1944
72	11-1-1944	EP-62	1-1-1944
73	11-1-1944	EP-63	1-1-1944
74	11-1-1944	EP-64	1-1-1944
75	11-1-1944	EP-65	1-1-1944
76	11-1-1944	EP-66	1-1-1944
77	11-1-1944	EP-67	1-1-1944
78	11-1-1944	EP-68	1-1-1944
79	11-1-1944	EP-69	1-1-1944
80	11-1-1944	EP-70	1-1-1944
81	11-1-1944	EP-71	1-1-1944
82	11-1-1944	EP-72	1-1-1944
83	11-1-1944	EP-73	1-1-1944
84	11-1-1944	EP-74	1-1-1944
85	11-1-1944	EP-75	1-1-1944

* 375 • TURN DIAGRAM TO LARGE FOR EASY VIEW AVAILABLE VIA TELEPHONE ORDER *

A4 This invention disclosed in the following descriptive material
 comprises a
 a) organic photoconductive layer and an inorganic surface protective layer,
 wherein
 a) at least an outermost part of the inorganic surface protective layer
 comprises at
 a) least one compn. selected from a diphenyl-phosphine deriv. I, R¹ R²
 H, alkyl,
 alkyl, and aryl, and two groups linked to each other in an
 aryl group
 and the said layer may be linked together to form a single a
 b) diphenyl-phosphine
 deriv. II, R¹ R² H, H, alkyl, alkoxy, alkylthio, ether, or R¹ R² H, a
 diphenylphosphine dihalide, or the R¹ R² H, H, alkyl, alkoxy,
 alkylthio, ether, or R¹ R² H, a

ARTICLE NUMBER: 214	ARTICLE CATEGORY: J. J. ACS
ABSTRACT NUMBER:	1-111-10-00000
DOCUMENT NUMBER:	1111-1111
TITLE	Synthesis, characterization and antitumor activity of
	The complexes of lanthanide nitrates with
	tris (2-(2,4,6-trihydroxy-3-oxocyclohex-1-enyl) benzyl)phosphineoxy
	amine
AUTHOR(S)	Wu, Xi Shui Tang, Yu, Liu, Wei Sheng; Tang,
NAME	Tan, Min Yu
ORGANIZATION	College of Chemistry and Chemical Engineering and
INSTITUTE	University Lanzhou, 73000, Peop. Rep. China
SOURCE	Chinese Chemical Letters 1998, 29(1), 111-112
DATE	1998-01-01
	CHINESE JOURNAL OF CHEMISTRY
PUBLISHER	Science Press, Beijing, China
DOCUMENT TYPE	Journal
LANGUAGE	Chinese

As A typical ligand,
the N,N'-bipyridyl- π -terphenyl-type, bipyridine,
ethylenediamine (H_2L), and its complexes with lanthanide nitrates were
synthesized. These new complexes of Ln(NO₃)₃(H₂O)₉ClO₄·4H₂O ($Ln =$
La, Pr,

Ce, Sm, Eu) were characterized by elemental analysis, IR spectra,
thermal,
magnetic, and EPR spectra. All the complexes are stable in air.
The IR
and EPR spectra of the ligands and its complexes show that all
the OH
groups take part in coordination at the rare earth ions. The thermal
behaviors of the La and Eu complexes are similar. The losses
of water
at 70°C, 180°C, and 260°C correspond to the loss of two
H₂O and
two HNO₃, resp. The IR losses found in this process compare
with the theor. values, so the complexes have lattice H₂O and
coordination
H₂O. The magnetic susceptibilities of partial complexes were studied
in
the range of 4.2K-300°K. The complexes are diamagnetic.
FTIR-EPR studies of solid, solvated and in solution of Ln(NO₃)₃
(synthetic
preparation); P.M. Baudouin et al., JEPF, Preparation; R.H.T.
Baudouin
et al., paper
presented at the 2nd symmetry and thermodynamics of
PN 4-1584 in J. CAPILL
ON (thesis).
4,4',4''-trisubstituted- π -terphenyl-tris(aryl methyl)sphero-trimethyl
methoxy-CH₃ CH₃CH₃ NMe₃

117 ANSWER 1 OF 14 CAPUS COPYRIGHT 1974 BY CAPUS

ABSTRACT NUMBER: 417698-35-2P
 DOCUMENT NUMBER: 417698-35-2P
 TITLE: Reaction of 2-azabenzyl 4-chloro-5-hydroxy-6-methyl-3-pyridyl nitriles with substituted benzaldehyde hydrazones. Unsubstituted formation of 4-arylidenamino-2-yl-3-pyridyl nitriles.
 AUTHOR: S. V. Golovinskiy, T. A. Kuznetsova, M. S. Tolstokhin, A. V. Tolstokhin
 SOURCE: Chemistry of Heterocyclic Compounds (New York, NY), United States Translation of Khimiya Geterotsiklicheskikh Soedineniy, 1974, 11(7), 576-581
 PUBLISHER: Kluwer Academic Publishers Bureau
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB: The reaction of 2-azabenzyl 4-chloro-5-hydroxy-6-methyl-3-pyridyl nitriles with substituted benzaldehyde hydrazones (1-4) in the presence of 4-arylidenamino-2-yl-3-pyridyl nitriles, the structures of which were proved using spectroscopic data, the results of elemental analysis, and through their chemical reactions. The reaction course depends on the lability of the heterocyclic fragment in the starting nitrile. A likely mechanism for the process is proposed.
 IT: 417698-33-OP 417698-34-1P 417698-35-2P
 RE: 417698-33-OP 417698-34-1P 417698-35-2P
 EN: 417698-33-OP 417698-34-1P 417698-35-2P
 NAME: 417698-33-OP 417698-34-1P 417698-35-2P

117 ANSWER 1 OF 14 CAPUS COPYRIGHT 1974 BY CAPUS

REFERENCE COUNT: 17 THERE ARE 17 CITED REFERENCES AVAILABLE FOR THIS REFERENCE. ALL CITATION AVAILABLE IN THE REFERENCE.

117 ANSWER 1 OF 14 CAPUS COPYRIGHT 1974 BY CAPUS
 ABSTRACT NUMBER: 417698-35-2P
 DOCUMENT NUMBER: 417698-35-2P
 TITLE: Reaction of 2-azabenzyl 4-chloro-5-hydroxy-6-methyl-3-pyridyl nitriles with substituted benzaldehyde hydrazones. Unsubstituted formation of 4-arylidenamino-2-yl-3-pyridyl nitriles.
 AUTHOR: S. V. Golovinskiy, T. A. Kuznetsova, M. S. Tolstokhin, A. V. Tolstokhin
 SOURCE: Chemistry of Heterocyclic Compounds (New York, NY), United States Translation of Khimiya Geterotsiklicheskikh Soedineniy, 1974, 11(7), 576-581
 PUBLISHER: Kluwer Academic Publishers Bureau
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB: The reaction of 2-azabenzyl 4-chloro-5-hydroxy-6-methyl-3-pyridyl nitriles with substituted benzaldehyde hydrazones (1-4) in the presence of 4-arylidenamino-2-yl-3-pyridyl nitriles, the structures of which were proved using spectroscopic data, the results of elemental analysis, and through their chemical reactions. The reaction course depends on the lability of the heterocyclic fragment in the starting nitrile. A likely mechanism for the process is proposed.
 IT: 417698-33-OP 417698-34-1P 417698-35-2P
 RE: 417698-33-OP 417698-34-1P 417698-35-2P
 EN: 417698-33-OP 417698-34-1P 417698-35-2P
 NAME: 417698-33-OP 417698-34-1P 417698-35-2P

117 ANSWER 1 OF 14 CAPUS COPYRIGHT 1974 BY CAPUS
 ABSTRACT NUMBER: 417698-35-2P
 DOCUMENT NUMBER: 417698-35-2P
 TITLE: Reaction of 2-azabenzyl 4-chloro-5-hydroxy-6-methyl-3-pyridyl nitriles with substituted benzaldehyde hydrazones. Unsubstituted formation of 4-arylidenamino-2-yl-3-pyridyl nitriles.
 AUTHOR: S. V. Golovinskiy, T. A. Kuznetsova, M. S. Tolstokhin, A. V. Tolstokhin
 SOURCE: Chemistry of Heterocyclic Compounds (New York, NY), United States Translation of Khimiya Geterotsiklicheskikh Soedineniy, 1974, 11(7), 576-581
 PUBLISHER: Kluwer Academic Publishers Bureau
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB: The reaction of 2-azabenzyl 4-chloro-5-hydroxy-6-methyl-3-pyridyl nitriles with substituted benzaldehyde hydrazones (1-4) in the presence of 4-arylidenamino-2-yl-3-pyridyl nitriles, the structures of which were proved using spectroscopic data, the results of elemental analysis, and through their chemical reactions. The reaction course depends on the lability of the heterocyclic fragment in the starting nitrile. A likely mechanism for the process is proposed.
 IT: 417698-33-OP 417698-34-1P 417698-35-2P
 RE: 417698-33-OP 417698-34-1P 417698-35-2P
 EN: 417698-33-OP 417698-34-1P 417698-35-2P
 NAME: 417698-33-OP 417698-34-1P 417698-35-2P

117 ANSWER 1 OF 14 CAPUS COPYRIGHT 1974 BY CAPUS
 ABSTRACT NUMBER: 417698-35-2P
 DOCUMENT NUMBER: 417698-35-2P
 TITLE: Reaction of 2-azabenzyl 4-chloro-5-hydroxy-6-methyl-3-pyridyl nitriles with substituted benzaldehyde hydrazones. Unsubstituted formation of 4-arylidenamino-2-yl-3-pyridyl nitriles.
 AUTHOR: S. V. Golovinskiy, T. A. Kuznetsova, M. S. Tolstokhin, A. V. Tolstokhin
 SOURCE: Chemistry of Heterocyclic Compounds (New York, NY), United States Translation of Khimiya Geterotsiklicheskikh Soedineniy, 1974, 11(7), 576-581
 PUBLISHER: Kluwer Academic Publishers Bureau
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB: The reaction of 2-azabenzyl 4-chloro-5-hydroxy-6-methyl-3-pyridyl nitriles with substituted benzaldehyde hydrazones (1-4) in the presence of 4-arylidenamino-2-yl-3-pyridyl nitriles, the structures of which were proved using spectroscopic data, the results of elemental analysis, and through their chemical reactions. The reaction course depends on the lability of the heterocyclic fragment in the starting nitrile. A likely mechanism for the process is proposed.
 IT: 417698-33-OP 417698-34-1P 417698-35-2P
 RE: 417698-33-OP 417698-34-1P 417698-35-2P
 EN: 417698-33-OP 417698-34-1P 417698-35-2P
 NAME: 417698-33-OP 417698-34-1P 417698-35-2P



10

JBR 1.7.0.1
 CME 5.4.09.02

[illegible]


2012 4.1 = 5.2 + 1.1
 2013 4.1 = 5.2 + 1.1
 2014 4.1 = 5.2 + 1.1

200


CFN	72-44
CMV	CC-11

[illegible]

1742 · J.


$$\text{HAF} = A$$

2014. 3



$\cos \theta = 0$

CM

17 408329-66-8P
 E1: 1H NMR (CDCl3) δ 7.25 (d, 2H, J = 8.5 Hz, H_A), 6.85 (d, 2H, J = 8.5 Hz, H_B), 6.55 (s, 1H, H_C), 6.45 (s, 1H, H_D), 6.35 (s, 1H, H_E), 6.25 (s, 1H, H_F), 6.15 (s, 1H, H_G), 6.05 (s, 1H, H_H), 5.95 (s, 1H, H_I), 5.85 (s, 1H, H_J), 5.75 (s, 1H, H_K), 5.65 (s, 1H, H_L), 5.55 (s, 1H, H_M), 5.45 (s, 1H, H_N), 5.35 (s, 1H, H_O), 5.25 (s, 1H, H_P), 5.15 (s, 1H, H_Q), 5.05 (s, 1H, H_R), 4.95 (s, 1H, H_S), 4.85 (s, 1H, H_T), 4.75 (s, 1H, H_U), 4.65 (s, 1H, H_V), 4.55 (s, 1H, H_W), 4.45 (s, 1H, H_X), 4.35 (s, 1H, H_Y), 4.25 (s, 1H, H_Z), 4.15 (s, 1H, H_{AA}), 4.05 (s, 1H, H_{AB}), 3.95 (s, 1H, H_{AC}), 3.85 (s, 1H, H_{AD}), 3.75 (s, 1H, H_{AE}), 3.65 (s, 1H, H_{AF}), 3.55 (s, 1H, H_{AG}), 3.45 (s, 1H, H_{AH}), 3.35 (s, 1H, H_{AI}), 3.25 (s, 1H, H_{AJ}), 3.15 (s, 1H, H_{AK}), 3.05 (s, 1H, H_{AL}), 2.95 (s, 1H, H_{AM}), 2.85 (s, 1H, H_{AN}), 2.75 (s, 1H, H_{AO}), 2.65 (s, 1H, H_{AP}), 2.55 (s, 1H, H_{AQ}), 2.45 (s, 1H, H_{AR}), 2.35 (s, 1H, H_{AS}), 2.25 (s, 1H, H_{AT}), 2.15 (s, 1H, H_{AU}), 2.05 (s, 1H, H_{AV}), 1.95 (s, 1H, H_{AW}), 1.85 (s, 1H, H_{AX}), 1.75 (s, 1H, H_{AY}), 1.65 (s, 1H, H_{AZ}), 1.55 (s, 1H, H_{BA}), 1.45 (s, 1H, H_{BB}), 1.35 (s, 1H, H_{BC}), 1.25 (s, 1H, H_{BD}), 1.15 (s, 1H, H_{BE}), 1.05 (s, 1H, H_{BF}), 0.95 (s, 1H, H_{BG}), 0.85 (s, 1H, H_{BH}), 0.75 (s, 1H, H_{BI}), 0.65 (s, 1H, H_{BJ}), 0.55 (s, 1H, H_{BK}), 0.45 (s, 1H, H_{BL}), 0.35 (s, 1H, H_{BM}), 0.25 (s, 1H, H_{BN}), 0.15 (s, 1H, H_{BO}), 0.05 (s, 1H, H_{BP}), 0.00 (s, 1H, H_{BQ}), -0.05 (s, 1H, H_{BR}), -0.10 (s, 1H, H_{BS}), -0.15 (s, 1H, H_{BT}), -0.20 (s, 1H, H_{BU}), -0.25 (s, 1H, H_{BV}), -0.30 (s, 1H, H_{BW}), -0.35 (s, 1H, H_{BX}), -0.40 (s, 1H, H_{BY}), -0.45 (s, 1H, H_{BZ}), -0.50 (s, 1H, H_{CA}), -0.55 (s, 1H, H_{CB}), -0.60 (s, 1H, H_{CC}), -0.65 (s, 1H, H_{CD}), -0.70 (s, 1H, H_{CE}), -0.75 (s, 1H, H_{CF}), -0.80 (s, 1H, H_{CG}), -0.85 (s, 1H, H_{CH}), -0.90 (s, 1H, H_{CI}), -0.95 (s, 1H, H_{CJ}), -1.00 (s, 1H, H_{CK}), -1.05 (s, 1H, H_{CL}), -1.10 (s, 1H, H_{CM}), -1.15 (s, 1H, H_{CN}), -1.20 (s, 1H, H_{CO}), -1.25 (s, 1H, H_{CP}), -1.30 (s, 1H, H_{CQ}), -1.35 (s, 1H, H_{CR}), -1.40 (s, 1H, H_{CS}), -1.45 (s, 1H, H_{CT}), -1.50 (s, 1H, H_{CU}), -1.55 (s, 1H, H_{CV}), -1.60 (s, 1H, H_{CW}), -1.65 (s, 1H, H_{CX}), -1.70 (s, 1H, H_{CY}), -1.75 (s, 1H, H_{CZ}), -1.80 (s, 1H, H_{DA}), -1.85 (s, 1H, H_{DB}), -1.90 (s, 1H, H_{DC}), -1.95 (s, 1H, H_{DD}), -2.00 (s, 1H, H_{DE}), -2.05 (s, 1H, H_{DF}), -2.10 (s, 1H, H_{DG}), -2.15 (s, 1H, H_{DH}), -2.20 (s, 1H, H_{DI}), -2.25 (s, 1H, H_{DJ}), -2.30 (s, 1H, H_{DK}), -2.35 (s, 1H, H_{DL}), -2.40 (s, 1H, H_{DM}), -2.45 (s, 1H, H_{DN}), -2.50 (s, 1H, H_{DO}), -2.55 (s, 1H, H_{DP}), -2.60 (s, 1H, H_{DQ}), -2.65 (s, 1H, H_{DR}), -2.70 (s, 1H, H_{DS}), -2.75 (s, 1H, H_{DT}), -2.80 (s, 1H, H_{DU}), -2.85 (s, 1H, H_{DV}), -2.90 (s, 1H, H_{DW}), -2.95 (s, 1H, H_{DX}), -3.00 (s, 1H, H_{DY}), -3.05 (s, 1H, H_{DZ}), -3.10 (s, 1H, H_{EA}), -3.15 (s, 1H, H_{EB}), -3.20 (s, 1H, H_{EC}), -3.25 (s, 1H, H_{ED}), -3.30 (s, 1H, H_{EE}), -3.35 (s, 1H, H_{EF}), -3.40 (s, 1H, H_{EG}), -3.45 (s, 1H, H_{EH}), -3.50 (s, 1H, H_{EI}), -3.55 (s, 1H, H_{EJ}), -3.60 (s, 1H, H_{EK}), -3.65 (s, 1H, H_{EL}), -3.70 (s, 1H, H_{EM}), -3.75 (s, 1H, H_{EN}), -3.80 (s, 1H, H_{EO}), -3.85 (s, 1H, H_{EP}), -3.90 (s, 1H, H_{EQ}), -3.95 (s, 1H, H_{ER}), -4.00 (s, 1H, H_{ES}), -4.05 (s, 1H, H_{ET}), -4.10 (s, 1H, H_{EU}), -4.15 (s, 1H, H_{EV}), -4.20 (s, 1H, H_{EW}), -4.25 (s, 1H, H_{EX}), -4.30 (s, 1H, H_{EY}), -4.35 (s, 1H, H_{EZ}), -4.40 (s, 1H, H_{FA}), -4.45 (s, 1H, H_{FB}), -4.50 (s, 1H, H_{FC}), -4.55 (s, 1H, H_{FD}), -4.60 (s, 1H, H_{FE}), -4.65 (s, 1H, H_{FG}), -4.70 (s, 1H, H_{FH}), -4.75 (s, 1H, H_{FI}), -4.80 (s, 1H, H_{FJ}), -4.85 (s, 1H, H_{FK}), -4.90 (s, 1H, H_{FL}), -4.95 (s, 1H, H_{FO}), -5.00 (s, 1H, H_{FP}), -5.05 (s, 1H, H_{FQ}), -5.10 (s, 1H, H_{FR}), -5.15 (s, 1H, H_{FS}), -5.20 (s, 1H, H_{FT}), -5.25 (s, 1H, H_{FU}), -5.30 (s, 1H, H_{FV}), -5.35 (s, 1H, H_{FW}), -5.40 (s, 1H, H_{FX}), -5.45 (s, 1H, H_{FY}), -5.50 (s, 1H, H_{FZ}), -5.55 (s, 1H, H_{GA}), -5.60 (s, 1H, H_{GB}), -5.65 (s, 1H, H_{GC}), -5.70 (s, 1H, H_{GD}), -5.75 (s, 1H, H_{GE}), -5.80 (s, 1H, H_{GF}), -5.85 (s, 1H, H_{GG}), -5.90 (s, 1H, H_{GH}), -5.95 (s, 1H, H_{GI}), -6.00 (s, 1H, H_{GP}), -6.05 (s, 1H, H_{GQ}), -6.10 (s, 1H, H_{GR}), -6.15 (s, 1H, H_{GS}), -6.20 (s, 1H, H_{GT}), -6.25 (s,

Preparation : RARE! Reaction at room temp.
solvents : ether, propyl and chloroform solution :
in the dry state

[illegible][illegible]

CM	1
BN	4 (25%)
MF	1 (6%)
MF	1 (6%)

$$\begin{array}{c}
 \text{O} \\
 \parallel \\
 \text{C} \\
 \mid \\
 \text{CH}_2 \\
 \mid \\
 \text{N} \\
 \mid \\
 \text{O}^- \quad \text{Ni}^{2+} \quad \text{PMe}_3 \\
 \mid \\
 \text{N} \quad \text{CH} \quad \text{CH} \\
 \mid \\
 \text{CH}_2
 \end{array}$$

1997
 1998
 1999

REFERENCE COUNT: THREE APP (1) CITE: REFERENCES AVAILABLE
FOR THIS REF. ALL CITATIONS AVAILABLE IN DB
RE. FORMAT

As a by-product of the investigation, it is possible to suggest that the complexes of the type $M(L)_2$ are formed in the reaction of the metal ion with the ligand. The complexes were synthesized. The metal ion complexes $M(L)_2$ were obtained by the reaction of the metal ion with the ligand. The complexes were obtained by the reaction of the metal ion with the ligand. The complexes were obtained by the reaction of the metal ion with the ligand.


11. ANSWER: 12 13 14 TITLE: FBI ON 12 13 14 DATE: 12 13 14
15 FBI ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED

111 ANSWER 13 OF 14 CAPSUS COPYRIGHT © 1997 CAPSUS

PN 402498-65-1P

OR Phenol

2,2'-(1,2-ethanedithiol)bis(nitrilomethylidene)-bis[4-methyl-6-(4-morpholinylmethyl)-1,3,5-triazine]



PN 402498-66-2P

OR Phenol

2,2'-(1,2-ethanedithiol)bis(nitrilomethylidene)-bis[4-methyl-6-(4-morpholinylmethyl)-1,3,5-triazine]



IT 402498-65-1P

RI: RCT (Reactant) / SYN (Synthetic) preparation / PREP

Preparation: RCT

Reactant or reagent

Prep. and complexation with copper (I) and silver (I)

PN 402498-66-2P

OR Phenol

2,2'-(1,2-ethanedithiol)bis(nitrilomethylidene)-bis[4-methyl-6-(4-morpholinylmethyl)-1,3,5-triazine]



IT 402498-66-2P

RI: RCT (Reactant) / SYN (Synthetic) preparation / PREP

Preparation: RCT

Reactant or reagent

Prep. and complexation with copper (I) and silver (I)

111 ANSWER 13 OF 14 CAPSUS COPYRIGHT © 1997 CAPSUS

PN 402498-66-2P

OR Phenol


2,2'-(1,2-ethanedithiol)bis(nitrilomethylidene)-bis[4-methyl-6-(4-morpholinylmethyl)-1,3,5-triazine]



PN 402498-66-2P

OR Phenol

2,2'-(1,2-ethanedithiol)bis(nitrilomethylidene)-bis[4-methyl-6-(4-morpholinylmethyl)-1,3,5-triazine]



REFERENCE POINTS: THERE ARE NO CITED REFERENCES AVAILABLE FOR THIS REFERENCE. PLEASE, ALL CITATIONS AVAILABLE IN THE REFERENCE.

111 ANSWER 13 OF 14 CAPSUS COPYRIGHT © 1997 CAPSUS

PN 402498-66-2P

OR Phenol


2,2'-(1,2-ethanedithiol)bis(nitrilomethylidene)-bis[4-methyl-6-(4-morpholinylmethyl)-1,3,5-triazine]



PN 402498-66-2P

OR Phenol

2,2'-(1,2-ethanedithiol)bis(nitrilomethylidene)-bis[4-methyl-6-(4-morpholinylmethyl)-1,3,5-triazine]



IT 402498-66-2P

RI: RCT (Reactant) / SYN (Synthetic) preparation / PREP

Preparation: RCT


Reactant or reagent

Prep. and complexation with copper (I) and silver (I)

PN 402498-66-2P

OR Phenol

2,2'-(1,2-ethanedithiol)bis(nitrilomethylidene)-bis[4-methyl-6-(4-morpholinylmethyl)-1,3,5-triazine]



IT 402498-66-2P

RI: RCT (Reactant) / SYN (Synthetic) preparation / PREP

Preparation: RCT

Reactant or reagent


Prep. and complexation with copper (I) and silver (I)

111 ANSWER 13 OF 14 CAPSUS COPYRIGHT © 1997 CAPSUS

PN 402498-66-2P

OR Phenol

2,2'-(1,2-ethanedithiol)bis(nitrilomethylidene)-bis[4-methyl-6-(4-morpholinylmethyl)-1,3,5-triazine]



PN 402498-66-2P

OR Phenol

2,2'-(1,2-ethanedithiol)bis(nitrilomethylidene)-bis[4-methyl-6-(4-morpholinylmethyl)-1,3,5-triazine]



AB Two novel, palladium catalyzed cascade processes involving the generation of a 4-allyl allyl palladium intermediate from allene in

an ultra- or intermolecular fashion, followed by consecutive intramolecular nucleophilic addition of allene, alkyne or haloalkene provide spiro

or bicyclic products. The reaction of 4-allyl allyl palladium with allene, alkyne or haloalkene

heterocycles (11) or (12) R₁, R₂ = H, Me, or phenyl, N = phenyl, N = 4-methylphenyl, N = 4-methylphenyl, N = 4-methylphenyl, N = 4-methylphenyl

IT 445425-72-5

RI: RCT (Reactant) / SYN (Synthetic) preparation / PREP

Preparation: RCT

Reactant or reagent

Prep. and complexation with copper (I) and silver (I)

PN 445425-72-5

OR Phenol

2,2'-(1,2-ethanedithiol)bis(nitrilomethylidene)-bis[4-methyl-6-(4-morpholinylmethyl)-1,3,5-triazine]

INEX 1998

=> d his

(FILE 'HOME' ENTERED AT 12:43:55 ON 23 SEP 2002)

FILE 'REGISTRY' ENTERED AT 12:44:06 ON 23 SEP 2002

L1 STRUCTURE UPLOADED
L1 547 S 11 FUL

FILE 'CAPLUS' ENTERED AT 12:44:36 ON 23 SEP 2002

L2 145 S 12 P

FILE 'REGISTRY' ENTERED AT 12:44:52 ON 23 SEP 2002

L4 STRUCTURE UPLOADED
L1 1 S 14 FUL
L6 STRUCTURE UPLOADED
L7 581 S 16 FUL
L8 367 S 17 AND CAPLUS/LC

FILE 'CAPLUS' ENTERED AT 12:48:48 ON 23 SEP 2002

L9 123 S 17 FUL
L10 1 S 19 AND L3 FUL
L11 2839870 S PROCESS?
L12 14 S 111 AND L7

=> s aryloxazir?

L13 22 ARYLOXAZIR?

=> s l13 and 17 ful

123 L7
L14 1 L13 AND L7

=> log y

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
76.61	503.96

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-9.29	-9.29

CA SUBSCRIBER PRICE

STN INTERNATIONAL LOGOFF AT 13:00:02 ON 23 SEP 2002